A Higher Standard™



A HIGHER STANDARD™

Thanks for taking a closer look at the Steelhead Fasteners family of products. We are committed to providing the highest quality in both our products and customer service.

Our passion for quality starts with choosing select manufacturing partners who share the same passion for quality as we do. We feel the lowest price is often not the best value for us, and more importantly, for our customers. Every shipment that arrives to our warehouse goes through a rigorous quality control process, real tool testing of the product, as well as visual and instrumental verification of specifications.



INDEX

FRAMING & TECO NAILS

PAGE 3-4

SIDING NAILS

PAGE 5

ROOFING NAILS

FINISH NAILS

PAGE 7-8

STAPLES PAGE 9-11

COIL FRAMING NAILS

PAGE 12

FULL LINE OF SPECIALTY & COMMODITY FASTENERS

- + AISI 304 & 316 GRADE STAINLESS STEEL
- + HOT DIPPED GALVANIZED ASTM A153
- + ELECTRO GALVANIZED
- + BRIGHT BASIC

PURCHASING MADE EASY

- + NATIONAL DISTRIBUTION
- + DIRECT CONTAINER ORDERS
- + OUT-OF-WAREHOUSE ORDERS
- + MIXED PALLET ORDERS
- + MIXED CASE ORDERS
- + BLIND DROP SHIP ORDERS
- + NO MINIMUMS

FASTENER COATINGS

STAINLESS STEEL

AISI 304 & 316 Grade Stainless Steel is a metal alloy that by itself is extremely corrosion resistant, without the addition of any chemical coatings. Several manufacturers of ACQ treated lumber recommend Stainless Steel fasteners as the ultimate protection, especially in high moisture and coastal environments. All STEELHEAD Stainless Steel collated fasteners meet or exceed the AISI 304 & 316 Grade Standards. If you're comparing fastener to fastener, Hot-Dipped Galvanized fasteners will be the lowest cost recommended for use with ACQ. For the highest-level of corrosion protection, Steelhead promotes Stainless Steel fasteners.

HOT-DIPPED GALVANIZED

steelhead Fasteners Hot-Dipped Galvanized fasteners withstand corrosion for a much longer period of time than non-coated and electro-galvanized coated metals. Our nails are completely and evenly covered providing the thickest layer of zinc coating and ensuring that this process meets the specifications for ACQ and other pressure treated lumber. All of our hot-dipped collated fasteners meet or exceed ASTM A153 standard for hot-dipped galvanized. An independent laboratory test was done to measure the amount of zinc on our nails. The plastic strip framing nail (3-1/2" x.131" hot-dipped galvanized) weighed in at 1.78 ounces per square foot, exceeding the ASTM requirement of 1 ounce per square foot.

ELECTRO-GALVANIZED

STEELHEAD Fasteners Electro-Galvanization plates the nail in a zinc coating via electrical charge. Electro-Galvanized fasteners are used in mild weather conditions and in areas with lower humidity. The nails are submerged into an electrolytic solution where an electrical current coats them with a thin layer of zinc. However, after prolonged exposure to the elements, the thin layer of zinc oxidizes, leaving the fastener subject to normal rusting and staining.

BRIGHT

STEELHEAD Fasteners Bright fasteners are uncoated steel and have no anti-corrosive protection. Used mainly in finish carpentry and furniture manufacturing, bright fasteners are also the most common for residential interior framing applications. Bright finish fasteners will cause rust stains and streaks if used in areas of even minimal moisture exposure.



THINGS TO CONSIDER

- ARE YOU WORKING IN A COASTAL REGION?
- WILL YOUR PROJECT BE EXPOSED TO MOISTURE?
- IS STRENGTH AND CORROSION RESISTANCE IMPORTANT?
- DO YOU NEED/WANT THE HIGHEST QUALITY PRODUCT AVAILABLE?

FRAMING NAILS



STEELHEAD FASTENERS

20 - 22° FULL ROUND HEAD PLASTIC COLLATED FRAMING NAILS

For interior and exterior housing frame work. STEELHEAD FASTENERS framing nails are available in Stainless Steel, Hot-Dipped Galvanized, and Bright finishes. Also available in ring and screw shank. They will fit most 20° - 22° full round head framing nail guns.

FRAMING, SHEATHING, DECKING, FENCING, SIDING

STAINLESS STEEL			HOT-DIPPED GALVANIZED				
ST12D131SSS	3-1/4 " X .131"	SCREW	2M COUNT	ST16D162HD	3-1/2" X .162"	SMOOTH	3M COUNT
ST10D131SSS	3" X .131"	SCREW	2M COUNT	ST16D148HD	3-1/2" X .148"	SMOOTH	3M COUNT
ST10D120RSS	3" X .120"	RING	2M COUNT	ST16D135SHD	3-1/2" X .135"	SCREW	4M COUNT
ST8D148SSS	2-3/8" X .148"	SCREW	2.5M COUNT	ST12D148HD	3-1/4" X .148"	SMOOTH	3M COUNT
ST8D131RSS	2-1/2" X .131"	RING	2.5M COUNT	ST12D131SCHD	3-1/4" X .131"	CASING HEAD	2M COUNT
ST8D113RSS	2-3/8" X .113"	RING	2.5M COUNT	ST12D131SHD	3-1/4" X .131"	SCREW	2M COUNT
ST6D113RSS	2" X .113"	RING	2.5M COUNT	ST12D131HD	3-1/4" X .131"	SMOOTH	4M COUNT
				ST10D148HD	3" X .148"	SMOOTH	2M COUNT

ST10D131HD	3" X .131"	SMOOTH	4M COUNT
ST10D120RHD	3" X .120"	RING	4M COUNT
ST8XD148HD	2-1/2" X .148"	SMOOTH	4M COUNT
ST8XD148RHD	2-1/2" X .148"	RING	4M COUNT
ST8D131HD	2-1/2" X .131"	SMOOTH	4M COUNT
ST8D131RHD	2-1/2" X .131"	RING	4M COUNT
ST8D113HD	2-3/8" X .113"	SMOOTH	5M COUNT
ST8D113RHD	2-3/8" X .113"	RING	5M COUNT
ST8D113SCHD	2-3/8" X .113"	CASING HEAD	2.5M COUNT
ST6D113RHD	2" X .113"	RING	5M COUNT

• HOT DIPPED

ST16D162	3-1/2" X .162"	SMOOTH	3M COUNT
ST16D135	3-1/2" X .135"	SMOOTH	4M COUNT
ST12D148	3-1/4" X .148"	SMOOTH	3M COUNT
ST12D131	3-1/4" X .131"	SMOOTH	4M COUNT
ST10D148	3" X .148"	SMOOTH	4M COUNT
ST10D131	3" X .131"	SMOOTH	4M COUNT
ST10D131R	3" X .131"	RING	4M COUNT
ST8XD148	2-1/2" X .148"	SMOOTH	4M COUNT
ST8XD148R	2-1/2" X .148"	RING	4M COUNT
ST8D131	2-1/2" X .131"	SMOOTH	4M COUNT
ST8D131R	2-1/2" X .131"	RING	4M COUNT
ST8D113	2-3/8" X .113"	SMOOTH	5M COUNT
ST8D113R	2-3/8" X .113"	RING	5M COUNT

• BRIGHT

33-34° JOIST HANGER NAILS

STPP4D148PLHT	1-1/2" X .148"	HEAT TREATED (PLASTIC STRIP)	3M COUNT
STPP4D148HT	1 - 1/2" X .148"	HEAT TREATED (PAPER STRIP)	3M COUNT
STPP4D148HD	1-1/2" X .148"	HOT DIPPED (PAPER STRIP)	3M COUNT
STPP8D148PLHT	2-1/2" X .148"	HEAT TREATED (PLASTIC STRIP)	2.5M COUNT
STPP4D148PLHD	1-1/2" X .148"	HOT DIPPED (PLASTIC STRIP)	3M COUNT
STPP8D148HT	2-1/2" X .148"	HEAT TREATED (PAPER STRIP)	2.5M COUNT
STPP8D162HT	2-1/2" X .162"	HEAT TREATED (PAPER STRIP)	2M COUNT
STPP8D148PLHD	2-1/2" X .148"	HOT DIPPED (PLASTIC STRIP)	2.5M COUNT
STPP8D148HD	2-1/2" X .148"	HOT DIPPED (PAPER STRIP)	2.5M COUNT
STPP8D162HD	2-1/2" X .162"	HOT DIPPED (PAPER STRIP)	2M COUNT
STPP4D148SS	1-1/2" X .148"	304 STAINLESS STEEL (PAPER STRIP)	3M COUNT

• TECO



STEELHEAD FASTENERS

.093" DIAMETER COIL SIDING / FENCING NAILS

Our wire collated siding/fencing nails come in smooth and ring shank, and are available in Stainless Steel, Hot-Dipped Galvanized, and Electro Galvanized finishes. They will fit most 15° coil siding nail guns.

SIDING AND SHAKE ROOFING

	STAINLESS S	STEEL		Н	HOT-DIPPED G	HOT-DIPPED GALVAN
FC3DSSR	1-1/4" X .093"	RING	3.6M COUNT	FC3DRHD	FC3DRHD 1-1/4" X .093"	FC3DRHD 1-1/4" X .093" RING
FC4DSSR	1-1/2" X .093"	RING	3.6M COUNT	FC4DRHD	FC4DRHD 1-1/2" X .093"	FC4DRHD 1-1/2" X .093" RING
FC5DSSR	1-3/4" X .093"	RING	3.6M COUNT	FC5DRHD	FC5DRHD 1-3/4" X .093"	FC5DRHD 1-3/4" X .093" RING
FC6DSSR	2" X .093"	RING	3.6M COUNT	FC6DRHD	FC6DRHD 2" X .093"	FC6DRHD 2" X .093" RING
FC7DSSR	2-3/16" X .093"	RING	3.6M COUNT	FC7DRHD	FC7DRHD 2-3/16" X .093"	FC7DRHD 2-3/16" X .093" RING
FC8DSSR	2-1/2" X .093"	RING	3.6M COUNT	FC7DHD	FC7DHD 2-3/16" X .093"	FC7DHD 2-3/16" X .093" SMOOTH
FC4DSSR316	1-1/2" X .093	RING	1.8M COUNT	FC8DRHD	FC8DRHD 2-1/2" X .093"	FC8DRHD 2-1/2" X .093" RING
FC5DSSR316	1-3/4" X .093	RING	1.8M COUNT			
FC6DSSR316	2" X .093	RING	1.8M COUNT		ELECTRO CA	ELECTRO GALVANIZ
FC7DSSR316	2-1/4" X . 093	RING	1.8M COUNT		ELECTRO GA	ELECTRO GALVANIZ
FC8DSSR316	2-1/2" X .093	RING	1.8M COUNT	FC7DREG	FC7DREG 2-3/16"" X .093"	FC7DREG 2-3/16"" X .093" RING



STEELHEAD FASTENERS 15° COIL ROOFING NAILS / .120" DIAMETER

Our roofing coil nails come in smooth or ring shank and are available in Stainless Steel, Hot-Dipped Galvanized, and Electro Galvanized finishes. They will fit most 15° coil roofing nail guns.

COMPOSITION AND SHAKE ROOFING, GENERAL AND FIBER CEMENT SIDING

	STAINLESS	STEEL			HOT DIP	PED	
GCRODSSR	3/4" X .120"	RING	7.2M COUNT	GCRODRHD	3/4" X .120"	RING	7.2M COUNT
GCR1DSSR	7/8" X .120"	RING	7.2M COUNT	GCR2DRHD	1" X .120"	RING	7.2M COUNT
GCR2DSSR	1" X .120"	RING	7.2M COUNT	GCR3DRHD	1-1/4" X .120"	RING	7.2M COUNT
GCR3DSSR	1-1/4" X .120"	RING	7.2M COUNT	GCR4DRHD	1-1/2" X .120"	RING	7.2M COUNT
GCR4DSSR	1-1/2" X .120"	RING	7.2M COUNT	GCR5DRHD	1-3/4" X .120"	RING	7.2M COUNT
GCR5DSSR	1-3/4" X .120"	RING	7.2M COUNT				
HOT DIPPED							
	HOT DIP	PED		El	LECTRO GAL	VANIZE	D
GCRODHD	HOT DIP 3/4" X .120"	PED SMOOTH	7.2M COUNT	E I STRODG	LECTRO GAL 3/4" X .120"	VANIZE SMOOTH	7.2M COUNT
GCR0DHD GCR1DHD			7.2M COUNT 7.2M COUNT				
	3/4" X .120"	SMOOTH		STRODG	3/4" X .120"	SMOOTH	7.2M COUNT
GCR1DHD	3/4" X .120" 7/8" X .120"	SMOOTH SMOOTH	7.2M COUNT	STR0DG STR1DG	3/4" X .120" 7/8" X .120"	SMOOTH SMOOTH	7.2M COUNT 7.2M COUNT
GCR1DHD GCR2DHD	3/4" X .120" 7/8" X .120" 1" X .120"	SMOOTH SMOOTH SMOOTH	7.2M COUNT 7.2M COUNT	STRODG STR1DG STR2DG	3/4" X .120" 7/8" X .120" 1" X .120"	SMOOTH SMOOTH SMOOTH	7.2M COUNT 7.2M COUNT 7.2M COUNT 7.2M COUNT 7.2M COUNT
GCR1DHD GCR2DHD GCR3DHD	3/4" X .120" 7/8" X .120" 1" X .120" 1-1/4" X .120"	SMOOTH SMOOTH SMOOTH SMOOTH	7.2M COUNT 7.2M COUNT 7.2M COUNT	STR0DG STR1DG STR2DG STR3DG	3/4" X .120" 7/8" X .120" 1" X .120" 1-1/4" X .120"	SMOOTH SMOOTH SMOOTH SMOOTH	7.2M COUNT 7.2M COUNT 7.2M COUNT 7.2M COUNT



STEELHEAD FASTENERS

FINISH NAILS

Our finish nails come in a variety of sizes for a variety of applications. Available in Stainless Steel, Electro Galvanized, and bright. They will fit most 15 gauge angled finish guns.

"DA" SERIES FINISH NAILS, 15 GAUGE ANGLED

TRIM, DECKS, FENCING, SIDING

	STAINLESS STEEI			BRIGHT	
STDA15SS	1-1/4" LENGTH	4M COUNT	STDA15	1-1/4" LENGTH	4M COUN
STDA17SS	1-1/2" LENGTH	4M COUNT	STDA17	1-1/2" LENGTH	4M COUN
STDA21SS	2" LENGTH	4M COUNT	STDA19	1-3/4" LENGTH	4M COUN
STDA25SS	2-1/2" LENGTH	4M COUNT	STDA21	2" LENGTH	4M COUN
			STDA25	2-1/2" LENGTH	4M COUN
EL	ECTRO GALVANIZ	ED			
STDA17G	1-1/2" LENGTH	4M COUNT			
	,				
STDA21G	2" LENGTH	4M COUNT			
STDA25G	2-1/2" LENGTH	4M COUNT			

STB16A112	1-1/2" LENGTH,	GALVANIZED	2M COUNT	16 GAUGE ANGLED BRAD NAILS
STB16A112SS	1-1/2" LENGTH,	STAINLESS	2M COUNT	TRIM, DECKS, FENCING, SIDING
STB16A2	2" LENGTH,	GALVANIZED	2M COUNT	*WILL FIT MOST 16 GAUGE ANGLED FINISH GUNS
STB16A2SS	2" LENGTH,	STAINLESS	2M COUNT	
STB16A212	2-1/2" LENGTH,	GALVANIZED	2M COUNT	
STB16A212SS	2-1/2" LENGTH,	STAINLESS	2M COUNT	
STB16114	1-1/4" LENGTH,	GALVANIZED	2.5M COUNT	16 GAUGE STRAIGHT BRAD NAILS
STB16112	1-1/2" LENGTH,	GALVANIZED	2.5M COUNT	TRIM, DECKS, FENCING, SIDING *WILL FIT MOST 16 GAUGE FINISH GUNS
STB16134	1-3/4"LENGTH,	GALVANIZED	2.5M COUNT	WILL TH MOST TO GAOGE THIS HONG
STB162	2" LENGTH,	GALVANIZED	2.5M COUNT	
STB16212	2-1/2" LENGTH,	GALVANIZED	2.5M COUNT	
STB16114SS	1-1/4" LENGTH	STAINLESS	2.5M COUNT	16 GAUGE STRAIGHT BRAD NAILS
STB16112SS	1-1/2" LENGTH	STAINLESS	2.5M COUNT	*STAINLESS STEEL TRIM, DECKS, FENCING, SIDING
STB162SS	2" LENGTH	STAINLESS	2.5M COUNT	*WILL FIT MOST 16 GAUGE FINISH GUNS
STB16212SS	2-1/2" LENGTH	STAINLESS	2.5M COUNT	
STB1858	5/8" LENGTH	GALVANIZED	5M COUNT	
STB1834	3/4" LENGTH	GALVANIZED	5M COUNT	
STB181	1" LENGTH	GALVANIZED	5M COUNT	
STB181316	1-3/16" LENGTH	GALVANIZED	5M COUNT	18 GAUGE STRAIGHT BRAD NAILS
STB18114	1-1/4" LENGTH	GALVANIZED	5M COUNT	TRIM, DECKS, FENCING, SIDING *WILL FIT MOST 18 GAUGE FINISH GUNS
STB18112	1-1/2" LENGTH	GALVANIZED	5M COUNT	
STB18158	1-5/8" LENGTH	GALVANIZED	5M COUNT	
STB18134	1-3/4" LENGTH	GALVANIZED	5M COUNT	
STB182	2" LENGTH	GALVANIZED	5M COUNT	
STB1858SS	5/8" LENGTH	STAINLESS	5M COUNT	
STB1834SS	3/4" LENGTH	STAINLESS	5M COUNT	
STB181SS	1" LENGTH	STAINLESS	5M COUNT	
STB181316SS	1-3/16" LENGTH	STAINLESS	5M COUNT	18 GAUGE STRAIGHT BRAD NAILS
STB18114SS	1-1/4" LENGTH	STAINLESS	5M COUNT	*STAINLESS STEEL
STB18112SS	1-1/2" LENGTH	STAINLESS	5M COUNT	TRIM, DECKS, FENCING, SIDING

5M COUNT

5M COUNT

5M COUNT

*WILL FIT MOST 18 GAUGE FINISH GUNS

STAINLESS

STAINLESS

STAINLESS

1-1/2" LENGTH

1-3/4" LENGTH


2" LENGTH

STB18112SS

STB18134SS

STB182SS

STAPLES



STEELHEAD FASTENERS "L" SERIES, 1/4" CROWN, 18 GAUGE STAPLES

Our "L" series staples come in Stainless Steel and Electro Galvanized finishes. They will fit most L-Wire staple guns.

TRIM, FENCING, SIDING AND LATTICE

	ELECTRO GALVANIZED	STAINLESS STEEL			
STL08	1/2" LENGTH 5M COUNT	STL10SS	5/8" LENGTH	5M COUNT	
STL10	5/8" LENGTH 5M COUNT	STL11SS	3/4" LENGTH	5M COUNT	
STL11	3/4" LENGTH 5M COUNT	STL12SS	7/8" LENGTH	5M COUNT	
STL12	7/8" LENGTH 5M COUNT	STL13SS	1" LENGTH	5M COUNT	
STL13	1" LENGTH 5M COUNT	STL14SS	1-1/8" LENGTH	5M COUNT	
STL14	1-1/8" LENGTH 5M COUNT	STL15SS	1-1/4" LENGTH	5M COUNT	
STL15	1-1/4" LENGTH 5M COUNT	STL17SS	1-1/2" LENGTH	5M COUNT	
STL17	1-1/2" LENGTH 5M COUNT				

"N" SERIES, 7/16" CROWN, 16 GAUGE STAPLES

Our "N" series staples come in Stainless Steel and Electro Galvanized finishes. They will fit most N-Wire staple guns.

SHAKES, SHINGLES, FENCING, SIDING AND LATTICE

ELECTRO GALVANIZED			STAINLESS STEEL			
N11	3/4" LENGTH	10M COUNT	N15SS-5M	1-1/4" LENGTH	5M COUNT	
N13	1" LENGTH	10M COUNT	N17SS	1-1/2" LENGTH	10M COUNT	
N15	1-1/4" LENGTH	10M COUNT	N17SS-316	1-1/2" LENGTH	5M COUNT	
N17	1-1/2" LENGTH	10M COUNT	N19SS	1-3/4" LENGTH	10M COUNT	
N19	1-3/4" LENGTH	10M COUNT	N21SS	2" LENGTH	10M COUNT	
N21	2" LENGTH	10M COUNT				

"P" SERIES, 1" CROWN, 16 GAUGE STAPLES

Our "P" series staples come in Stainless Steel and Electro Galvanized finishes. They will fit most P-Wire staple guns.

COMPOSITION ROOFING, WATERPROOF DECKING, LATHE

	ELECTRO GALVANIZEI)		STAINLESS STEEL	
P10	5/8" LENGTH	10M COUNT	P11SS	3/4" LENGTH	5M COUNT
P11	3/4" LENGTH	10M COUNT	P13SS	1" LENGTH	5M COUNT
P12	7/8" LENGTH	10M COUNT	P15SS	1-1/4" LENGTH	5M COUNT
P13	1" LENGTH	10M COUNT	P17SS	1-1/2" LENGTH	5M COUNT
P15	1-1/4" LENGTH	10M COUNT			
P17	1-1/2" LENGTH	10M COUNT			
P21	2" LENGTH	10M COUNT			



STEELHEAD FASTENERS TACKER STAPLES

Our tacker staples come in a variety of sizes for a variety of applications. They are available in Stainless Steel and Electro Galvanized finishes.

UPHOLSTERY, SCREENS, ROOFING / SIDING PAPER

	ELECTRO GALVANIZE	D	S	TAINLESS STEEL	
A1114	3/8" X 1/4"	5M COUNT	A1138SS	3/8" X 3/8"	5M COUNT
A1138	3/8" X 3/8"	5M COUNT	ISTCR501938SS	3/8" X 3/8"	5M COUNT
A1112	3/8" X 1/2"	5M COUNT			
A1914	3/8" X 1/4"	5M COUNT			
STC04G	3/8" X 1/4" 22 GAUGE	10M COUNT			
STC06G	3/8" X 3/8" 22 GAUGE	10M COUNT			
STC08G	3/8" X 1/2" 22 GAUGE	10M COUNT			
STC10G	3/8" X 5/8" 22 GAUGE	10M COUNT			
ISTCR501938	3/8" X 3/8"	5M COUNT			



STEELHEAD FASTENERS COIL FRAMING / PALLET NAILS

Our wire collated framing/pallet nails come in smooth, ring, or screw shank and are available in Hot-Dipped Galvanized, Electro Galvanized, and Bright finishes. They will fit most 15° coil framing nail guns.

COIL FRAMING & PALLET NAILS

BRIGHT				
314148	3-1/4" X .148"	SMOOTH	3M COUNT	
314131	3-1/4" X .131"	SMOOTH	4M COUNT	
3131	3" X .131"	SMOOTH	4M COUNT	
212148	2-1/2" X .148"	SMOOTH	3M COUNT	
212131	2-1/2" X .131"	SMOOTH	4M COUNT	
238113	2-3/8" X .113"	SMOOTH	5M COUNT	
238113R	2-3/8" X .113"	RING	5M COUNT	
3120S-4.5M	3" X .120"	SCREW	4.5M COUNT	
31135	3" X .113"	SCREW	4.5M COUNT	
212099S	2-1/2" X .099"	SCREW	9M COUNT	
2140995	2-1/4" X .099"	SCREW	9M COUNT	
20995	2" X .099"	SCREW	9M COUNT	

BRIGHT				
112099S	1-1/2" X .099"	SCREW	9M COUNT	
1140995	1-1/4" X .099"	SCREW	9M COUNT	
	,			
но	T-DIPPED GA	LVANIZE	ט	
3131HD	3" X .131"	SMOOTH	4M COUNT	
212131HD	2-1/2" X .131"	SMOOTH	4M COUNT	
238113RHD	2-3/8" X .113"	`RING	5M COUNT	

STANDARD TERMS & CONDITIONS

ORDERS

- 1. Orders can be received via Phone, Email, or Fax.
- 2. Confirmations will be sent out prior to order shipment to ensure accuracy.
- 3. No order minimum.

SHIPPING

- 1. Shipping available via Steelhead Truck (local), LTL, & UPS Ground.
- 2. Collect and Third Party shipments are allowed.
- 3. Expedited shipping is available at an additional cost.
- 4. Please inform us if you have any special delivery instructions at time of order.
- 5. Fees incurred due to incorrect addresses, special instructions, or missed deliveries will be passed onto the customer.

PREPAID FREIGHT

- 1. Prepaid freight is available to most locations, ask your salesrep for your minimum.
- 2.Steelhead will select the most economic carrier available.
- 3. Orders below the prepaid freight minimums are subject to a freight charge.

RETURNS

- 1. Returns not allowed without prior written authorization.
- 2.All returns are subject to a 25% re-stock fee.
- 3. Freight charges will not be refunded.
- 4. No returns will be accepted after 30 days of the invoice date.

PRICING

1. Pricing is subject to change or modification without notice.

BACKORDERS

1. Items not available at the time a purchase is made are treated as individual orders and are subject to prepaid freight requirements when the item becomes available.

STEELHEAD FASTENERS

CONTACT INFORMATION

TOLL FREE / 866.794.3543

TOLL FREE FAX / 877.835.8491

WWW.STEELHEADFASTENERS.COM

INFO@STEELHEADFASTENERS.COM