

**A Higher Standard™**



# A HIGHER STANDARD™

Thanks for taking a closer look at the Steelhead Fasteners family of products. We are committed to providing the highest quality in both our products and customer service.

Our passion for quality starts with choosing select manufacturing partners who share the same passion for quality as we do. We feel the lowest price is often not the best value for us, and more importantly, for our customers. Every shipment that arrives to our warehouse goes through a rigorous quality control process, real tool testing of the product, as well as visual and instrumental verification of specifications.



# INDEX

**FRAMING & TECO NAILS**

*PAGE 3-4*

**SIDING NAILS**

*PAGE 5*

**ROOFING NAILS**

*PAGE 6*

**FINISH NAILS**

*PAGE 7-8*

**STAPLES**

*PAGE 9-11*

**COIL FRAMING NAILS**

*PAGE 12*

## **FULL LINE OF SPECIALTY & COMMODITY FASTENERS**

- .....
- + AISI 304 & 316 GRADE STAINLESS STEEL
- + HOT DIPPED GALVANIZED - ASTM A153
- + ELECTRO GALVANIZED
- + BRIGHT BASIC

## **PURCHASING MADE EASY**

- .....
- + NATIONAL DISTRIBUTION
- + DIRECT CONTAINER ORDERS
- + OUT-OF-WAREHOUSE ORDERS
- + MIXED PALLET ORDERS
- + MIXED CASE ORDERS
- + BLIND DROP SHIP ORDERS
- + NO MINIMUMS

# GUIDE TO FASTENER COATINGS

## STAINLESS STEEL

AISI 304 & 316 Grade Stainless Steel is a metal alloy that by itself is extremely corrosion resistant, without the addition of any chemical coatings. Several manufacturers of ACQ treated lumber recommend Stainless Steel fasteners as the ultimate protection, especially in high moisture and coastal environments. All STEELHEAD Stainless Steel collated fasteners meet or exceed the AISI 304 & 316 Grade Standards. If you're comparing fastener to fastener, Hot-Dipped Galvanized fasteners will be the lowest cost recommended for use with ACQ. For the highest-level of corrosion protection, Steelhead promotes Stainless Steel fasteners.

## HOT-DIPPED GALVANIZED

STEELHEAD Fasteners Hot-Dipped Galvanized fasteners withstand corrosion for a much longer period of time than non-coated and electro-galvanized coated metals. Our nails are completely and evenly covered providing the thickest layer of zinc coating and ensuring that this process meets the specifications for ACQ and other pressure treated lumber. All of our hot-dipped collated fasteners meet or exceed ASTM A153 standard for hot-dipped galvanized. An independent laboratory test was done to measure the amount of zinc on our nails. The plastic strip framing nail (3-1/2" x.131" hot-dipped galvanized) weighed in at 1.78 ounces per square foot, exceeding the ASTM requirement of 1 ounce per square foot.

## ELECTRO-GALVANIZED

STEELHEAD Fasteners Electro-Galvanization plates the nail in a zinc coating via electrical charge. Electro-Galvanized fasteners are used in mild weather conditions and in areas with lower humidity. The nails are submerged into an electrolytic solution where an electrical current coats them with a thin layer of zinc. However, after prolonged exposure to the elements, the thin layer of zinc oxidizes, leaving the fastener subject to normal rusting and staining.

## BRIGHT

STEELHEAD Fasteners Bright fasteners are uncoated steel and have no anti-corrosive protection. Used mainly in finish carpentry and furniture manufacturing, bright fasteners are also the most common for residential interior framing applications. Bright finish fasteners will cause rust stains and streaks if used in areas of even minimal moisture exposure.




## THINGS TO CONSIDER

- ARE YOU WORKING IN A COASTAL REGION?
- WILL YOUR PROJECT BE EXPOSED TO MOISTURE?
- IS STRENGTH AND CORROSION RESISTANCE IMPORTANT?
- DO YOU NEED/WANT THE HIGHEST QUALITY PRODUCT AVAILABLE?



# • FRAMING NAILS



## STEELHEAD FASTENERS

### 20 - 22° FULL ROUND HEAD PLASTIC COLLATED FRAMING NAILS

For interior and exterior housing frame work. STEELHEAD FASTENERS framing nails are available in Stainless Steel, Hot-Dipped Galvanized, and Bright finishes. Also available in ring and screw shank. They will fit most 20° - 22° full round head framing nail guns.

FRAMING, SHEATHING, DECKING, FENCING, SIDING

#### STAINLESS STEEL

ST12D131SSS	3-1/4" X .131"	SCREW	2M COUNT
ST10D131SSS	3" X .131"	SCREW	2M COUNT
ST10D120RSS	3" X .120"	RING	2M COUNT
ST8D148SSS	2-3/8" X .148"	SCREW	2.5M COUNT
ST8D131RSS	2-1/2" X .131"	RING	2.5M COUNT
ST8D113RSS	2-3/8" X .113"	RING	2.5M COUNT
ST6D113RSS	2" X .113"	RING	2.5M COUNT

#### HOT-DIPPED GALVANIZED

ST16D162HD	3-1/2" X .162"	SMOOTH	3M COUNT
ST16D148HD	3-1/2" X .148"	SMOOTH	3M COUNT
ST16D135SHD	3-1/2" X .135"	SCREW	4M COUNT
ST12D148HD	3-1/4" X .148"	SMOOTH	3M COUNT
ST12D131SCHD	3-1/4" X .131"	CASING HEAD	2M COUNT
ST12D131SHD	3-1/4" X .131"	SCREW	2M COUNT
ST12D131HD	3-1/4" X .131"	SMOOTH	4M COUNT
ST10D148HD	3" X .148"	SMOOTH	2M COUNT



ST10D131HD	3" X .131"	SMOOTH	4M COUNT
ST10D120RHD	3" X .120"	RING	4M COUNT
ST8XD148HD	2-1/2" X .148"	SMOOTH	4M COUNT
ST8XD148RHD	2-1/2" X .148"	RING	4M COUNT
ST8D131HD	2-1/2" X .131"	SMOOTH	4M COUNT
ST8D131RHD	2-1/2" X .131"	RING	4M COUNT
ST8D113HD	2-3/8" X .113"	SMOOTH	5M COUNT
ST8D113RHD	2-3/8" X .113"	RING	5M COUNT
ST8D113SCHD	2-3/8" X .113"	CASING HEAD	2.5M COUNT
ST6D113RHD	2" X .113"	RING	5M COUNT

● **HOT  
DIPPED**

ST16D162	3-1/2" X .162"	SMOOTH	3M COUNT
ST16D135	3-1/2" X .135"	SMOOTH	4M COUNT
ST12D148	3-1/4" X .148"	SMOOTH	3M COUNT
ST12D131	3-1/4" X .131"	SMOOTH	4M COUNT
ST10D148	3" X .148"	SMOOTH	4M COUNT
ST10D131	3" X .131"	SMOOTH	4M COUNT
ST10D131R	3" X .131"	RING	4M COUNT
ST8XD148	2-1/2" X .148"	SMOOTH	4M COUNT
ST8XD148R	2-1/2" X .148"	RING	4M COUNT
ST8D131	2-1/2" X .131"	SMOOTH	4M COUNT
ST8D131R	2-1/2" X .131"	RING	4M COUNT
ST8D113	2-3/8" X .113"	SMOOTH	5M COUNT
ST8D113R	2-3/8" X .113"	RING	5M COUNT

● **BRIGHT**

### 33- 34° JOIST HANGER NAILS

STPP4D148PLHT	1-1/2" X .148"	HEAT TREATED (PLASTIC STRIP)	3M COUNT
STPP4D148HT	1-1/2" X .148"	HEAT TREATED (PAPER STRIP)	3M COUNT
STPP4D148HD	1-1/2" X .148"	HOT DIPPED (PAPER STRIP)	3M COUNT
STPP8D148PLHT	2-1/2" X .148"	HEAT TREATED (PLASTIC STRIP)	2.5M COUNT
STPP4D148PLHD	1-1/2" X .148"	HOT DIPPED (PLASTIC STRIP)	3M COUNT
STPP8D148HT	2-1/2" X .148"	HEAT TREATED (PAPER STRIP)	2.5M COUNT
STPP8D162HT	2-1/2" X .162"	HEAT TREATED (PAPER STRIP)	2M COUNT
STPP8D148PLHD	2-1/2" X .148"	HOT DIPPED (PLASTIC STRIP)	2.5M COUNT
STPP8D148HD	2-1/2" X .148"	HOT DIPPED (PAPER STRIP)	2.5M COUNT
STPP8D162HD	2-1/2" X .162"	HOT DIPPED (PAPER STRIP)	2M COUNT
STPP4D148SS	1-1/2" X .148"	304 STAINLESS STEEL (PAPER STRIP)	3M COUNT

● **TECO**

# • COIL SIDING/ FENCING NAILS



## STEELHEAD FASTENERS

### .093" DIAMETER COIL SIDING / FENCING NAILS

Our wire collated siding/fencing nails come in smooth and ring shank , and are available in Stainless Steel, Hot-Dipped Galvanized, and Electro Galvanized finishes. They will fit most 15° coil siding nail guns.

#### SIDING AND SHAKE ROOFING

#### STAINLESS STEEL

FC3DSSR	1-1/4" X .093"	RING	3.6M COUNT
FC4DSSR	1-1/2" X .093"	RING	3.6M COUNT
FC5DSSR	1-3/4" X .093"	RING	3.6M COUNT
FC6DSSR	2" X .093"	RING	3.6M COUNT
FC7DSSR	2-3/16" X .093"	RING	3.6M COUNT
FC8DSSR	2-1/2" X .093"	RING	3.6M COUNT
FC4DSSR316	1-1/2" X .093	RING	1.8M COUNT
FC5DSSR316	1-3/4" X .093	RING	1.8M COUNT
FC6DSSR316	2" X .093	RING	1.8M COUNT
FC7DSSR316	2-1/4" X .093	RING	1.8M COUNT
FC8DSSR316	2-1/2" X .093	RING	1.8M COUNT

#### HOT-DIPPED GALVANIZED

FC3DRHD	1-1/4" X .093"	RING	3.6M COUNT
FC4DRHD	1-1/2" X .093"	RING	3.6M COUNT
FC5DRHD	1-3/4" X .093"	RING	3.6M COUNT
FC6DRHD	2" X .093"	RING	3.6M COUNT
FC7DRHD	2-3/16" X .093"	RING	3.6M COUNT
FC7DHD	2-3/16" X .093"	SMOOTH	3.6M COUNT
FC8DRHD	2-1/2" X .093"	RING	3.6M COUNT

#### ELECTRO GALVANIZED

FC7DREG	2-3/16" X .093"	RING	3.6M COUNT
---------	-----------------	------	------------

\*SKUS ENDING IN 316 ARE 316 GRADE STAINLESS STEEL, ALL OTHERS SS SKUS ARE 304SS

# • ROOFING NAILS



## STEELHEAD FASTENERS

### 15° COIL ROOFING NAILS / .120" DIAMETER

Our roofing coil nails come in smooth or ring shank and are available in Stainless Steel, Hot-Dipped Galvanized, and Electro Galvanized finishes. They will fit most 15° coil roofing nail guns.

#### COMPOSITION AND SHAKE ROOFING, GENERAL AND FIBER CEMENT SIDING

#### STAINLESS STEEL

GCR0DSSR	3/4" X .120"	RING	7.2M COUNT
GCR1DSSR	7/8" X .120"	RING	7.2M COUNT
GCR2DSSR	1" X .120"	RING	7.2M COUNT
GCR3DSSR	1-1/4" X .120"	RING	7.2M COUNT
GCR4DSSR	1-1/2" X .120"	RING	7.2M COUNT
GCR5DSSR	1-3/4" X .120"	RING	7.2M COUNT

#### HOT DIPPED

GCR0DRHD	3/4" X .120"	RING	7.2M COUNT
GCR2DRHD	1" X .120"	RING	7.2M COUNT
GCR3DRHD	1-1/4" X .120"	RING	7.2M COUNT
GCR4DRHD	1-1/2" X .120"	RING	7.2M COUNT
GCR5DRHD	1-3/4" X .120"	RING	7.2M COUNT

#### HOT DIPPED

GCR0DHD	3/4" X .120"	SMOOTH	7.2M COUNT
GCR1DHD	7/8" X .120"	SMOOTH	7.2M COUNT
GCR2DHD	1" X .120"	SMOOTH	7.2M COUNT
GCR3DHD	1-1/4" X .120"	SMOOTH	7.2M COUNT
GCR4DHD	1-1/2" X .120"	SMOOTH	7.2M COUNT
GCR5DHD	1-3/4" X .120"	SMOOTH	7.2M COUNT


#### ELECTRO GALVANIZED

STR0DG	3/4" X .120"	SMOOTH	7.2M COUNT
STR1DG	7/8" X .120"	SMOOTH	7.2M COUNT
STR2DG	1" X .120"	SMOOTH	7.2M COUNT
STR3DG	1-1/4" X .120"	SMOOTH	7.2M COUNT
STR4DG	1-1/2" X .120"	SMOOTH	7.2M COUNT
STR5DG	1-3/4" X .120"	SMOOTH	7.2M COUNT

\*SKUS ENDING IN 316 ARE 316 GRADE STAINLESS STEEL, ALL OTHERS SS SKUS ARE 304SS



# • **FINISH NAILS**



## STEELHEAD FASTENERS FINISH NAILS

Our finish nails come in a variety of sizes for a variety of applications. Available in Stainless Steel, Electro Galvanized, and bright. They will fit most 15 gauge angled finish guns.

### **“DA” SERIES FINISH NAILS, 15 GAUGE ANGLED**

*TRIM, DECKS, FENCING, SIDING*

#### **STAINLESS STEEL**

STDA15SS	1-1/4" LENGTH	4M COUNT
STDA17SS	1-1/2" LENGTH	4M COUNT
STDA21SS	2" LENGTH	4M COUNT
STDA25SS	2-1/2" LENGTH	4M COUNT

#### **ELECTRO GALVANIZED**

STDA17G	1-1/2" LENGTH	4M COUNT
STDA21G	2" LENGTH	4M COUNT
STDA25G	2-1/2" LENGTH	4M COUNT

#### **BRIGHT**

STDA15	1-1/4" LENGTH	4M COUNT
STDA17	1-1/2" LENGTH	4M COUNT
STDA19	1-3/4" LENGTH	4M COUNT
STDA21	2" LENGTH	4M COUNT
STDA25	2-1/2" LENGTH	4M COUNT

*\*SKUS ENDING IN 316 ARE 316 GRADE STAINLESS STEEL, ALL OTHERS SS SKUS ARE 304SS*

STB16A112	1-1/2" LENGTH,	GALVANIZED	2M COUNT
STB16A2	2" LENGTH,	GALVANIZED	2M COUNT
STB16A212	2-1/2" LENGTH,	GALVANIZED	2M COUNT

**16 GAUGE ANGLED BRAD NAILS**  
**TRIM, DECKS, FENCING, SIDING**  
*\*WILL FIT MOST 16 GAUGE ANGLED FINISH GUNS*

STB16114	1-1/4" LENGTH,	GALVANIZED	2.5M COUNT
STB16112	1-1/2" LENGTH,	GALVANIZED	2.5M COUNT
STB16134	1-3/4" LENGTH,	GALVANIZED	2.5M COUNT
STB162	2" LENGTH,	GALVANIZED	2.5M COUNT
STB16212	2-1/2" LENGTH,	GALVANIZED	2.5M COUNT

**16 GAUGE STRAIGHT BRAD NAILS**  
**TRIM, DECKS, FENCING, SIDING**  
*\*WILL FIT MOST 16 GAUGE FINISH GUNS*

STB16114SS	1-1/4" LENGTH	STAINLESS	2.5M COUNT
STB16112SS	1-1/2" LENGTH	STAINLESS	2.5M COUNT
STB162SS	2" LENGTH	STAINLESS	2.5M COUNT
STB16212SS	2-1/2" LENGTH	STAINLESS	2.5M COUNT

**16 GAUGE STRAIGHT BRAD NAILS**  
**\*STAINLESS STEEL**  
**TRIM, DECKS, FENCING, SIDING**  
*\*WILL FIT MOST 16 GAUGE FINISH GUNS*


STB1858	5/8" LENGTH	GALVANIZED	5M COUNT
STB1834	3/4" LENGTH	GALVANIZED	5M COUNT
STB181	1" LENGTH	GALVANIZED	5M COUNT
STB181316	1-3/16" LENGTH	GALVANIZED	5M COUNT
STB18114	1-1/4" LENGTH	GALVANIZED	5M COUNT
STB18112	1-1/2" LENGTH	GALVANIZED	5M COUNT
STB18158	1-5/8" LENGTH	GALVANIZED	5M COUNT
STB18134	1-3/4" LENGTH	GALVANIZED	5M COUNT
STB182	2" LENGTH	GALVANIZED	5M COUNT

**18 GAUGE STRAIGHT BRAD NAILS**  
**TRIM, DECKS, FENCING, SIDING**  
*\*WILL FIT MOST 18 GAUGE FINISH GUNS*

STB1858SS	5/8" LENGTH	STAINLESS	5M COUNT
STB1834SS	3/4" LENGTH	STAINLESS	5M COUNT
STB181SS	1" LENGTH	STAINLESS	5M COUNT
STB181316SS	1-3/16" LENGTH	STAINLESS	5M COUNT
STB18114SS	1-1/4" LENGTH	STAINLESS	5M COUNT
STB18112SS	1-1/2" LENGTH	STAINLESS	5M COUNT
STB18134SS	1-3/4" LENGTH	STAINLESS	5M COUNT
STB182SS	2" LENGTH	STAINLESS	5M COUNT

**18 GAUGE STRAIGHT BRAD NAILS**  
**\*STAINLESS STEEL**  
**TRIM, DECKS, FENCING, SIDING**  
*\*WILL FIT MOST 18 GAUGE FINISH GUNS*

# • STAPLES



## STEELHEAD FASTENERS “L” SERIES, 1/4” CROWN, 18 GAUGE STAPLES

Our “L” series staples come in Stainless Steel and Electro Galvanized finishes. They will fit most L-Wire staple guns.

*TRIM, FENCING, SIDING AND LATTICE*

### ELECTRO GALVANIZED

STL08	1/2" LENGTH	5M COUNT
STL11	3/4" LENGTH	5M COUNT
STL12	7/8" LENGTH	5M COUNT
STL13	1" LENGTH	5M COUNT
STL14	1-1/8" LENGTH	5M COUNT
STL15	1-1/4" LENGTH	5M COUNT
STL17	1-1/2" LENGTH	5M COUNT

### STAINLESS STEEL

STL11SS	3/4" LENGTH	5M COUNT
STL12SS	7/8" LENGTH	5M COUNT
STL13SS	1" LENGTH	5M COUNT
STL14SS	1-1/8" LENGTH	5M COUNT
STL15SS	1-1/4" LENGTH	5M COUNT
STL17SS	1-1/2" LENGTH	5M COUNT



## “N” SERIES, 7/16” CROWN, 16 GAUGE STAPLES

Our “N” series staples come in Stainless Steel and Electro Galvanized finishes. They will fit most N-Wire staple guns.

---

*SHAKES, SHINGLES, FENCING, SIDING AND LATTICE*

### ELECTRO GALVANIZED

N11	3/4” LENGTH	10M COUNT
N13	1” LENGTH	10M COUNT
N15	1-1/4” LENGTH	10M COUNT
N17	1-1/2” LENGTH	10M COUNT
N19	1-3/4” LENGTH	10M COUNT
N21	2” LENGTH	10M COUNT

### STAINLESS STEEL

N15SS-5M	1-1/4” LENGTH	5M COUNT
N17SS	1-1/2” LENGTH	10M COUNT
N17SS-316	1-1/2” LENGTH	5M COUNT
N19SS	1-3/4” LENGTH	10M COUNT
N21SS	2” LENGTH	10M COUNT

## “P” SERIES, 1” CROWN, 16 GAUGE STAPLES

Our “P” series staples come in Stainless Steel and Electro Galvanized finishes. They will fit most P-Wire staple guns.

---

*COMPOSITION ROOFING, WATERPROOF DECKING, LATHE*


### ELECTRO GALVANIZED

P10	5/8” LENGTH	10M COUNT
P11	3/4” LENGTH	10M COUNT
P12	7/8” LENGTH	10M COUNT
P13	1” LENGTH	10M COUNT
P15	1-1/4” LENGTH	10M COUNT
P17	1-1/2” LENGTH	10M COUNT
P21	2” LENGTH	10M COUNT

### STAINLESS STEEL

P11SS	3/4” LENGTH	5M COUNT
P13SS	1” LENGTH	5M COUNT
P15SS	1-1/4” LENGTH	5M COUNT
P17SS	1-1/2” LENGTH	5M COUNT

# • STAPLES



## STEELHEAD FASTENERS TACKER STAPLES

Our tacker staples come in a variety of sizes for a variety of applications. They are available in Stainless Steel and Electro Galvanized finishes.

*UPHOLSTERY, SCREENS, ROOFING / SIDING PAPER*

### ELECTRO GALVANIZED


A1114	3/8" X 1/4"	5M COUNT
A1138	3/8" X 3/8"	5M COUNT
A1112	3/8" X 1/2"	5M COUNT
A1914	3/8" X 1/4"	5M COUNT
STC04G	3/8" X 1/4" 22 GAUGE	10M COUNT
STC06G	3/8" X 3/8" 22 GAUGE	10M COUNT
STC08G	3/8" X 1/2" 22 GAUGE	10M COUNT
STC10G	3/8" X 5/8" 22 GAUGE	10M COUNT
ISTCR501938	3/8" X 3/8"	5M COUNT

### STAINLESS STEEL

A1138SS	3/8" X 3/8"	5M COUNT
ISTCR501938SS	3/8" X 3/8"	5M COUNT

\*SKUS ENDING IN 316 ARE 316 GRADE STAINLESS STEEL, ALL OTHERS SS SKUS ARE 304SS

# • COIL FRAMING/ PALLET NAILS



## STEELHEAD FASTENERS COIL FRAMING / PALLET NAILS

Our wire collated framing/pallet nails come in smooth, ring, or screw shank and are available in Hot-Dipped Galvanized, Electro Galvanized, and Bright finishes. They will fit most 15° coil framing nail guns.

### COIL FRAMING & PALLET NAILS

#### BRIGHT

314148	3-1/4" X .148"	SMOOTH	3M COUNT
314131	3-1/4" X .131"	SMOOTH	4M COUNT
3131	3" X .131"	SMOOTH	4M COUNT
212148	2-1/2" X .148"	SMOOTH	3M COUNT
212131	2-1/2" X .131"	SMOOTH	4M COUNT
238113	2-3/8" X .113"	SMOOTH	5M COUNT
238113R	2-3/8" X .113"	RING	5M COUNT
3120S-4.5M	3" X .120"	SCREW	4.5M COUNT
3113S	3" X .113"	SCREW	4.5M COUNT
212099S	2-1/2" X .099"	SCREW	9M COUNT
214099S	2-1/4" X .099"	SCREW	9M COUNT
2099S	2" X .099"	SCREW	9M COUNT

#### BRIGHT

112099S	1-1/2" X .099"	SCREW	9M COUNT
114099S	1-1/4" X .099"	SCREW	9M COUNT

#### HOT-DIPPED GALVANIZED

3131HD	3" X .131"	SMOOTH	4M COUNT
212131HD	2-1/2" X .131"	SMOOTH	4M COUNT
238113RHD	2-3/8" X .113"	RING	5M COUNT



# STANDARD TERMS & CONDITIONS

## ORDERS

1. Orders can be received via Phone, Email, or Fax.
2. Confirmations will be sent out prior to order shipment to ensure accuracy.
3. No order minimum.

## SHIPPING

1. Shipping available via Steelhead Truck (local), LTL, & UPS Ground.
2. Collect and Third Party shipments are allowed.
3. Expedited shipping is available at an additional cost.
4. Please inform us if you have any special delivery instructions at time of order.
5. Fees incurred due to incorrect addresses, special instructions, or missed deliveries will be passed onto the customer.

## PREPAID FREIGHT

1. Prepaid freight is available to most locations, ask your salesrep for your minimum.
2. Steelhead will select the most economic carrier available.
3. Orders below the prepaid freight minimums are subject to a freight charge.

## RETURNS

1. Returns not allowed without prior written authorization.
2. All returns are subject to a 25% re-stock fee.
3. Freight charges will not be refunded.
4. No returns will be accepted after 30 days of the invoice date.

## PRICING

1. Pricing is subject to change or modification without notice.

## BACKORDERS

1. Items not available at the time a purchase is made are treated as individual orders and are subject to prepaid freight requirements when the item becomes available.



# **STEELHEAD FASTENERS**

## **CONTACT INFORMATION**

---

**TOLL FREE / 866.794.3543**

**TOLL FREE FAX / 877.835.8491**

**[WWW.STEELHEADFASTENERS.COM](http://WWW.STEELHEADFASTENERS.COM)**

**[INFO@STEELHEADFASTENERS.COM](mailto:INFO@STEELHEADFASTENERS.COM)**